WHAT IS CLAIMED IS:

- 1. A composite matrix comprising a first layer having at least about 5 dry weight percent flexibility modifying agent and a second layer having at least about 5 dry weight percent less flexibility modifying agent than the first layer, wherein at least one layer comprises a reconstituted composition.
- 2. The composite matrix of claim 1 wherein the second layer has at least about 60 dry weight percent collagen.
- 3. The composite matrix of claim 1 wherein the second layer has at least about 85 dry weight percent collagen.
- 4. The composite matrix of claim 1 wherein the second layer comprises crosslinked collagen.
- 5. The composite matrix of claim 1 wherein the second layer comprises intestinal collagen.
- 6. The composite matrix of claim 1 wherein the flexibility modifying agent comprises flexibility modifying bio-macromolecules.
- 7. The composite matrix of claim 6 wherein the flexibility modifying bio-macromolecules comprise an elastic protein.

- 8. The composite matrix of claim 7 wherein the elastic protein comprises elastin.
- 9. The composite matrix of claim 1 wherein the first layer has from about 5 to about 95 dry weight percent flexibility modifying agent.
- 10. The composite matrix of claim 1 wherein the first layer comprises at least about 5 dry weight percent collagen.
- 11. The composite matrix of claim 1 wherein the flexibility modifying agent comprises friction reducing macromolecules.
- 12. The composite matrix of claim 11 wherein the friction reducing macromolecules comprise proteoglycans.
- 13. The composite matrix of claim 11 wherein the friction reducing macromolecules comprise chondroitin sulfate, hyaluronic acid, derivatives thereof or mixtures thereof.
- 14. The composite matrix of claim 11 wherein the first layer comprises from about 25 to about 90 dry weight percent friction reducing macromolecules.
- 15. The composite matrix of claim 11 wherein the first layer comprises from about 10 dry weight percent collagen to about 75 dry weight percent collagen.

- 16. The composite matrix of claim 1 wherein the flexibility modifying agent comprises elastic proteins and friction reducing macromolecules.
- 17. The composite matrix of claim 1 wherein the second layer has a thickness of at least about 25 microns.
- 18. The composite matrix of claim 1 wherein the first layer has a thickness of at least about 25 microns.
- 19. The composite matrix of claim 1 wherein the first layer and the second layer each have a thickness from about 75 microns to about 1 millimeter.
- 20. The composite matrix of claim 1 wherein the first layer is crosslinked.
- 21. The composite matrix of claim 1 wherein the first layer is adjacent the second layer.
- 22. The composite matrix of claim 1 further comprising a third layer having at least about 60 dry weight percent collagen wherein the first layer is between the second layer and the third layer.
- 23. The composite matrix of claim 22 wherein the first layer comprises viable cells.

- 24. The composite matrix of claim 1 wherein the second layer is folded over a central core of the first layer.
- 25. The composite matrix of claim 1 wherein the second layer comprises growth factors.
- 26. The composite matrix of claim 1 wherein the second layer comprises attachment compounds for fibroblast precursor cells or for vascular endothelial precursor cells.
- 27. The composite matrix of claim 1 further comprising viable cells.
- 28. The composite matrix of claim 1 wherein the flexibility modifying agent comprises a synthetic polymer.
- 29. A valved prosthesis comprising a wall and a plurality of flexible leaflets supported by the wall, the wall comprising a composite matrix having a first layer with at least about 60 dry weight percent collagen and a second layer with at least about 25 dry weight percent collagen and at least about 5 dry weight percent elastin, and the leaflets comprising a composite matrix having a first layer with at least about 60 dry weight percent collagen and a second layer with at least about 25 dry weight percent collagen and at least about 5 dry weight percent proteoglycans.
- 30. The valved prosthesis of claim 29 wherein the valved prosthesis is a heart valve.
- 31. The valved prosthesis of claim 30 further comprising chordae.

- 32. The valved prosthesis of claim 29 wherein the plurality of leaflets is three leaflets.
- 33. The valved prosthesis of claim 29 wherein the valved prosthesis is a vascular graft.
- 34. The valved prosthesis of claim 29 further comprising a stent connected to the wall.
- 35. The valved prosthesis of claim 29 further comprising growth factors.
- 36. A method of forming a composite matrix, the method comprising fastening a first layer with a second layer, the first layer comprising at least about 25 weight percent collagen and the second layer comprising a flexibility modifying agent.
- 37. The method of claim 36 wherein fastening the first layer and the second layer comprises applying an adhesive at the interface between the first layer and the second layer.
- 38. The method of claim 36 wherein the fastening the first layer and the second layer and the second layer comprises applying pressure.
- 39. The method of claim 36 wherein the fastening the first layer and the second layer and the second layer comprises applying heat.
- 40. The method of claim 36 wherein the fastening the first layer and the second layer and the second layer comprises chemical crosslinking.